

CASE-SAFE SYSTEM

Ina a 1
[0001] The invention concerns a case-safe system for the optimal securing of valuables of all type.

Ina a 2
[0002] Security cases and safes are basically known. Safes are however generally so designed, that the objects to be placed therein, which are usually valuables, must be individually deposited.

[0003] Security cases are characterized by the fact that they can be opened only with great difficulty by unauthorized persons, however, can easily be walked away with.

[0004] Security cases are also often used, for example in offices or by persons who frequently and on short notice must make business trips, and for this require objects such as documents, diskettes, important papers or also valuables, which must constantly be stored.

[0005] This leads to a large security risk, since as already described above, this type of security case can easily be walked way with.

Ina a 3
[0006] The invention is thus concerned with the problem, of providing a case-safe system, which uses technically simple means yet avoids the hitherto known disadvantages and strongly reduces the risk of theft.

[0007] This problem is inventively solved by a case-safe system, which is comprised of a stationary housing, in which a case adapted for being received in this housing can be introduced and barricaded or locked.

EXPRESS MAIL LABEL NO. FL56814711345
I HEREBY CERTIFY THAT THIS PAPER IS BEING DEPOSITED WITH THE UNITED STATES POSTAL SERVICE "EXPRESS MAIL POST OFFICE TO ADDRESSEE" SERVICE UNDER 37 CFR 1.10 IN AN ENVELOPE ADDRESSED TO: THE COMMISSIONER OF PATENTS AND TRADEMARKS, WASHINGTON, D.C. 20231, ON THIS DATE. THE COMMISSIONER IS HEREBY AUTHORIZED TO CHARGE ANY FEES ARISING HEREFROM AT ANY TIME TO DEPOSIT ACCOUNT 18-0877.
4-30-01 DATE
James L. Hunt SIGNATURE

possible to provide the housing or housings with a camouflaging cover or shield.

[00016] The same applies for the case itself, which likewise can be camouflaged or covered.

[00017] Since the objects being stored are usually valuables, it is advantageous, when the housing or housings and/or the case is made of a fire resistant material. These materials could be for example steel, cast aluminum or extruded parts.

[00018] This case-safe system offers optimal security in combination with the special housing, which is dimensioned for receiving various case sizes.

[00019] These special frames or housings can be screwed together in various ways and then affixed to the wall or in a closet.

[00020] Further, the use of this security system is almost unlimited and can be used in any household, office, in vehicles, in air planes, ships and also for example in hotel rooms or in banks.

[00021] Since the special frame or as the case may be housing can include reinforcements or strengthened parts with boreholes, with which the case can be locked therein using an appropriate locking system, a removal of the case out of the housing is only possible with the appropriate key or, as the case may be, code or appropriate lock combination.

[00022] This offers an optimal and high security for a flexible, portable system. For the portable case in any size there are various covers or as the case may be casings for camouflaging or disguising, for example leather or cloth hand bags, etc.

[00023] The housing, as already mentioned, can be screwed together, so that multiple housings can be connected to each other to form a modular safe or vault system.

[00024] For this, special walls or, as the case may be, stable corners can be utilized. This system offers a particular advantage especially for employment in offices, when diskettes, papers, documents, etc. must be organized under lock and key, however nevertheless must be rapidly made available in the desired assembly.

[00025] A mini safe can be provided for vehicle papers, travel documents, as well as jewels and valuables, wherein the principle is otherwise the same as in the case of larger embodiments.

[00026] The mounting or bolting of the housing or housings can be so designed or arranged, that at least six threaded fasteners are provided.

[00027] The special case is provided with the above already mentioned securing or locking system for the housing, so that in this embodiment a double security system is integrated, one system for locking of the case itself and one system for locking into the housing.

[00028] The selection of the respective locks is not particularly limited, as long as they exhibit a high security standard.

[00029] Practical examples for the use of the inventive case-safe system are for example in the domestic household or apartment houses, which are secured in a closet or screwed to a wall or even mortared into a wall. Thereby the case is securely locked in the house.

[00030] In a trip in an automobile it is possible to incorporate an appropriate housing in the vehicle itself. Within this, as before, the case is securely locked.

[00031] In hotels the housings can be applied to either to a hotel closet or on a wall, so that the matching case can be securely locked therein.

[00032] This case-safe system is also of interest for banks, since they can offer for their customers the appropriate housing with the thereto matching cases, in which valuable papers, jewelry and other objects of value can be stored.

Ino G H
[00033] Further characteristics and advantages of the invention can be seen from the description of one illustrative embodiment as well as the drawings, to which reference is made. There is shown:

Fig. 1 a perspective view of a case-safe system with a covering;

Fig. 2 a arrangement of housings stacked one above the other, which can be supplementally locked using a locking bar or rod;

Fig. 3 a perspective view of the housing with a shield positioned in front of it;

Fig. 4 various side views of the case; and

Fig. 5 a housing, in which one case is inserted.

Ans 5 →

[00034] One example of a case-safe system 10 is described on the basis of Figs. 1 through 5, wherein the same reference numbers are used to designate the same parts.

[00035] The case-safe system 10 is comprised essentially of a housing 12, into which the associated matching or fitting case 14 can be inserted.

[00036] As can be seen from Fig. 1, the housing 12 can include a covering 30, which can on the one hand serve esthetic purposes, on the other hand however also serves to conceal visual clues of the presence of valuables or as the case may be the storage thereof.

[00037] This covering 30 includes a shield 16, as shown in Fig. 3.

[00038] For locking of the housing or housings 12 boreholes 18 can be provided in these housings 12, through which a locking bar or rod 20 can be inserted. This locking rod 20 can supplementally be secured using a lock 26.

[00039] As also can be seen from Fig. 3, the housing 12 in this embodiment exhibits four stiffening corrugations or reinforcing seams, which respectively contain three boreholes. These boreholes serve on the one hand for securing to a wall or a corner, depending upon whether the housing 12 is to be secured horizontally or vertically, and on the other hand for connecting multiple housings 12 with each other.

[00040] It can further be seen from Figs. 2 and 3, that the housing 12 includes locking boreholes 22, which are provided near the front or open end.

[00041] While the boreholes in Fig. 2 are essentially directed through the walls of the housing 12, there is another possibility, as shown in Fig. 3, of providing these boreholes 22 in reinforcements 23, which are provided within the housing 12.

[00042] These locking boreholes 22 serve for receiving locking bolts 24 which are provided in the case 14, as shown in Fig. 4.

[00043] Thereby the inserted case 14 can be supplementally locked by an appropriate system, so that a removal of the case 14 out of the housing 12 is only possible with a matching key or code or combination lock combination.

[00044] Although it is not shown in the figures, it is possible, to provide the case-safe system 10 with the most various sizes, and with various covers or as the case may be insertion or enveloping possibilities for camouflage with leather, cloth and other materials.

[00045] As shown in Fig. 4, the case 14 includes its own security locking system 28.

[00046] Thereby the case 14 contains two locking system, namely first the security locking system 28 and second the locking bolts 24 for locking with the housing 12.

[00047] The selection of the locks is not limited, and could be combination locks, locks with keys, locks with magnetic cards, and any other known locks with high security standards, and also even electro-voltaic security systems can be employed.

[00048] In Fig. 5 a prospective view of a housing 12 with a case 14 inserted therein is shown.

FD-350 (Rev. 12-13-60)

Reference Number List

- 10 Case-Safe System
- 12 Housing
- 14 Case
- 16 Cover
- 18 Borehole
- 20 Locking Rod
- 22 Locking Boreholes
- 23 Reinforcements
- 24 Locking Bolts
- 26 Lock
- 28 Security Locking System
- 30 Camouflage Cover

FOUO 22/08/2007